

Supplementary Table 5.1 ITS2

Bag 4 Bass Coast

Bag 4. Species. ITS2	% Hits
<i>Trichophyton mentagrophytes</i>	30.33
<i>Cladosporium</i> sp.	27.64
<i>Epicoccum nigrum</i>	9.99
<i>Trichophyton rubrum</i>	9.02
uncultured fungus	2.02
<i>Filobasidium magnum</i>	1.65
<i>Fusarium oxysporum</i>	1.61
<i>Vishniacozyma tephrensis</i>	1.53
<i>Neoscytalidium</i> sp.	1.46
<i>Rhodotorula mucilaginosa</i>	0.89
<i>Alternaria longipes</i>	0.86
<i>Fusarium equiseti</i>	0.67
<i>Epidermophyton floccosum</i>	0.57
<i>Holtermanniella takashimae</i>	0.53
<i>Candida parapsilosis</i>	0.48
<i>Neoascochyta paspali</i>	0.43
<i>Aspergillus tabacinus</i>	0.41
Saccotheciaceae	0.39
<i>Cystofilobasidium</i> sp.	0.37
<i>Helianthus annuus</i>	0.35
<i>Debaryomyces</i> sp.	0.34
<i>Papiliotrema frias</i>	0.33
<i>Trifolium subterraneum</i>	0.30
<i>Pseudopithomyces palmicola</i>	0.28
<i>Penicillium chrysogenum</i>	0.28
<i>Rhodotorula glutinis</i>	0.26
<i>Candida albicans</i>	0.20
<i>Alternaria infectoria</i>	0.19
<i>Phaeosphaeria</i> sp.	0.16
<i>Fusarium reticulatum</i>	0.16
<i>Bullera</i> sp.	0.15
<i>Wallemia muriae</i>	0.15
<i>Botrytis cinerea</i>	0.15
<i>Bourletiella hortensis</i>	0.13
<i>Ascochyta</i> sp.	0.12
<i>Cutaneotrichosporon</i> sp.	0.12
<i>Pleosporales</i> sp.	0.11

<i>Fusariella hughesii</i>	0.11
<i>Trebouxia</i> sp.	0.10
<i>Ramularia</i> sp.	0.10
<i>Pseudotaeniolina globosa</i>	0.09
<i>Plectosphaerella</i> sp.	0.09
<i>Caloplaca duplicata</i>	0.09
<i>Chaetomium globosum</i>	0.09
Eukaryota	0.08
<i>Cystobasidium slooffiae</i>	0.07
<i>Melaleuca armillaris</i>	0.07
<i>Pyrenophaetopsis leptospora</i>	0.07
<i>Microdochium bolleyi</i>	0.07
Uncultured <i>Caloplaca</i> sp.	0.07
<i>Harmoniella</i> sp.	0.07
<i>Stemphylium vesicarium</i>	0.07
<i>Chalara</i> sp.	0.07
<i>Filobasidium uniguttulatum</i>	0.07
<i>Neophaeotheca salicorniae</i>	0.06
<i>Tamaricicola</i> sp.	0.06
<i>Penicillium griseoroseum</i>	0.06
<i>Penicillium</i> sp.	0.06
Uncultured <i>Cryptococcus</i> sp.	0.06
<i>Neodevriesia</i> sp.	0.06
Uncultured eukaryote	0.06
<i>Hortaea werneckii</i>	0.06
<i>Phlebiopsis</i> sp.	0.06
<i>Thelebolus microsporus</i>	0.05
<i>Didymocyrtis</i> sp.	0.05
Fungi	0.05
<i>Penicillium brevicompactum</i>	0.05
<i>Acremonium</i> sp.	0.05
<i>Coprinellus micaceus</i>	0.05
Embryophyte (environmental)	0.05
<i>Claviceps perihumidiphila</i>	0.04
<i>Plantago coronopus</i>	0.04
<i>Bipolaris cynodontis</i>	0.04
<i>Microdochium</i> sp.	0.04
<i>Sistotrema hypogaeum</i>	0.04
<i>Bipolaris</i> sp.	0.04
<i>Solanum lycopersicum</i>	0.04
<i>Curvularia coatesiae</i>	0.04
<i>Pseudochlorella pyrenoidosa</i>	0.04

<i>Lotus angustissimus</i>	0.04
<i>Diaporthe foeniculina</i>	0.04
Uncultured Ascomycota	0.03
<i>Pyrenophora variabilis</i>	0.03
<i>Occultifur</i> sp.	0.03
<i>Naganishia</i> sp.	0.03
<i>Phaeosphaeriopsis</i> sp.	0.03
<i>Ustilaginoidea virens</i>	0.03
<i>Pseudochlorella signiensis</i>	0.03
<i>Preussia</i> sp.	0.03
<i>Microdochium neoqueenslandicum</i>	0.03
<i>Phaeococomyces</i> sp.	0.03
<i>Periconia</i> sp.	0.03
<i>Trifolium environmental</i>	0.03
<i>Verrucaria muralis</i>	0.03
Uncultured <i>Trebouxia</i>	0.03
<i>Taraxacum mongolicum</i>	0.03
<i>Hortaea thailandica</i>	0.03
<i>Leucosporidium scottii</i>	0.03
<i>Phoma</i> sp.	0.03
<i>Alternaria porri</i>	0.03
<i>Nigrospora sphaerica</i>	0.03
<i>Cenchrus purpurascens</i>	0.03
<i>Pyrenophora dictyoides</i>	0.02
<i>Phialemonium atrogriseum</i>	0.02
Ascomycota	0.02
<i>Zalaria obscura</i>	0.02
<i>Xepicula leucotricha</i>	0.02
<i>Callistemon viminalis</i>	0.02
Uncultured <i>Coniosporium</i> sp	0.02
<i>Caloplaca</i> sp.	0.02
<i>Sporobolomyces roseus</i>	0.02
<i>Sporobolomyces</i> sp.	0.02
<i>Solanum lignicaule</i>	0.02
<i>Phaeothecoidea minutispora</i>	0.02
<i>Aspergillus penicilliodes</i>	0.02
<i>Verrucaria danica</i>	0.02
<i>Scopulariopsis</i> sp.	0.02
Uncultured Basidiomycota	0.02
<i>Medicago polymorpha</i>	0.02
<i>Cercospora</i> sp.	0.02
<i>Exophiala lecanii-corni</i>	0.02

<i>Aspergillus pseudoglaucus</i>	0.02
<i>Arachnomyces kanei</i>	0.02
Uncultured Pezizomycotina	0.02
<i>Dictyosporium heptasporum</i>	0.02
<i>Pseudocamarosporium eucalypti</i>	0.02
[<i>Candida</i>] <i>zeylanoides</i>	0.02
[<i>Candida</i>] <i>glabrata</i>	0.02
<i>Diaporthe</i> sp.	0.02
<i>Hypocreales</i>	0.02
<i>Symmetrospora coprosmae</i>	0.02
<i>Rhodotorula</i> sp.	0.02
Uncultured Trebouxiophyceae	0.02
<i>Plantago lanceolata</i>	0.02
<i>Avena fatua</i>	0.02
<i>Pseudosydowia eucalypti</i>	0.02
<i>Tremateia guiyangensis</i>	0.02
<i>Yamadazyma triangularis</i>	0.02
<i>Corallomycetella repens</i>	0.02
<i>Tausonia pullulans</i>	0.02
<i>Aureobasidium</i> sp.	0.01
<i>Neophaeococomyces aloes</i>	0.01
<i>Saccharomyces cerevisiae</i>	0.01
<i>Sakaguchia dacryoidea</i>	0.01
<i>Filobasidium wieringae</i>	0.01
<i>Papiliotrema</i> sp.	0.01
<i>Digitaria exilis</i>	0.01
<i>Pyrenophaeota</i> sp.	0.01
<i>Microxiphium theae</i>	0.01
<i>Neophaeomonilla eucalypti</i>	0.01
<i>Protomyces inouyei</i>	0.01
<i>Agaricus vaporarius</i>	0.01
<i>Symmetrospora foliicola</i>	0.01
<i>Malassezia sympodialis</i>	0.01
<i>Cryptococcus</i> sp.	0.01
<i>Saitozyma</i> sp.	0.01
<i>Farysia olivacea</i>	0.01
<i>Wallemia ichthyophaga</i>	0.01
<i>Lasiodiplodia theobromae</i>	0.01
<i>Phaeoannelomyces elegans</i>	0.01
<i>Patellariopsis dennisii</i>	0.01
<i>Kazachstania servazzii</i>	0.01
<i>Ophiocordyceps</i> sp.	0.01

<i>Phialemonium inflatum</i>	0.01
<i>Apatococcus</i> sp.	0.01
<i>Magnoliophyta environmental</i>	0.01
<i>Coprosma lucida</i>	0.01
<i>Leptospermum laevigatum</i>	0.01
<i>Botryosphaeria</i> sp.	0.01
<i>Mycosphaerellales</i>	0.01
Uncultured Pleosporales	0.01
<i>Aspergillus fumigatus</i>	0.01
<i>Penicillium fagi</i>	0.01
<i>Neofitzroyomyces nerii</i>	0.01
<i>Fusarium nygamai</i>	0.01
<i>Sarocladium strictum</i>	0.01
<i>Myceliophthora lutea</i>	0.01
<i>Circinotrichum cycadis</i>	0.01
<i>Taphrina deformans</i>	0.01
<i>Myxarium grilletii</i>	0.01
<i>Pseudostichococcus monallantoides</i>	0.01
<i>Ornithopus pinnatus</i>	0.01
<i>Juglans regia</i>	0.01
<i>Teichospora pusilla</i>	0.01
<i>Verrucaria</i> sp.	0.01
<i>Pseudogymnoascus</i> sp.	0.01
<i>Allium cepa</i>	0.01
<i>Bellis pusilla</i>	0.01
<i>Eucalyptus yarraensis</i>	0.01
<i>Neriene radiata</i>	0.01
<i>Rachicladosporium</i> sp.	0.01
<i>Rhytidhysteron rufulum</i>	0.01
<i>Sphaerellopsis filum</i>	0.01
[<i>Exophiala</i>] <i>eucalyptorum</i>	0.01
<i>Wickerhamomyces anomalus</i>	0.01
<i>Pichia nakasei</i>	0.01
Uncultured <i>Hanseniaspora</i>	0.01
<i>Colletotrichum scovillei</i>	0.01
<i>Paramyrothecium roridum</i>	0.01
<i>Rhizoctonia solani</i>	0.01
<i>Sakaguchia</i> sp.	0.01
<i>Vishniacozyma heimaeyensis</i>	0.01
<i>Plantago ovata</i>	0.01
<i>Poa annua</i>	0.01
Dothideomycetes	0.01

<i>Brunneofusiclava sinensis</i>	0.01
<i>Setophaeosphaeria microspora</i>	0.01
<i>Phialophora livistona</i>	0.01
<i>Penicillium adametziioides</i>	0.01
<i>Gymnoascus flavus</i>	0.01
<i>Niesslia exosporioides</i>	0.01
<i>Bartalinia</i> sp.	0.01
<i>Basidiomycota</i>	0.01
<i>Coprinopsis stercorea</i>	0.01
<i>Sterigmatomyces halophilus</i>	0.01
<i>Sampaiozyma</i> sp.	0.01
<i>Solicoccozyma terrea</i>	0.01
<i>Arctotheca prostrata</i>	0.01
<i>Trifolium fragiferum</i>	0.01
<i>Abutilon peruvianum</i>	0.01
<i>Candelaria concolor</i>	0.01
Uncultured <i>Cladosporium</i> sp.	0.01
<i>Hormonema</i> sp.	0.01
<i>Cibiessia minutispora</i>	0.0
<i>Cryptocoryneum pseudorilstonei</i>	0.01
Uncultured <i>Peyronellaea</i> sp.	0.01
<i>Didymocyrtis brachylaenae</i>	0.01
Uncultured <i>Westerdykella</i> sp.	0.01
Roussoellaceae	0.01
<i>Knufia petricola</i>	0.01
<i>Penicillium oxalicum</i>	0.01
Uncultured Acarosporales	0.01
<i>Phacidium</i> sp.	0.01
<i>Lecophagus muscicola</i>	0.01
<i>Fusarium merismoides</i>	0.01
Chaetomiaceae	0.01
<i>Fimetariella</i> sp.	0.01
<i>Trochilispora schefflerae</i>	0.01
<i>Pestalotiopsis</i> sp.	0.01
<i>Corticium</i> sp.	0.01
<i>Symmetrospora</i> sp.	0.01
Leucosporidiales	0.01
<i>Leucosporidium escuderoi</i>	0.01
<i>Cystofilobasidium capitatum</i>	0.01
<i>Dioszegia rishiriensis</i>	0.01
<i>Vishniacozyma</i> sp.	0.01%
<i>Trichosporon ovoides</i>	0.01

<i>Deuterostichococcus deasonii</i>	0.01
<i>Erigeron karyinskianus</i>	0.01
<i>Cucurbita</i> sp. (environmental)	0.01
Miscellaneous unidentified	0.38
Total	100.00

Bag 5 Bass Coast

Bag 5. Species. ITS2	% Hits
<i>Aspergillus penicilliodes</i>	86.15
<i>Cladosporium</i> sp.	6.16
<i>Epicoccum nigrum</i>	4.02
<i>Aspergillus canadensis</i>	0.61
<i>Vishniacozyma tephrensis</i>	0.39
<i>Pseudopithomyces palmicola</i>	0.31
Uncultured Fungi	0.30
<i>Fusarium oxysporum</i>	0.25
<i>Neoascochyta paspali</i>	0.24
<i>Trichophyton mentagrophytes</i>	0.23
<i>Candida parapsilosis</i>	0.12
<i>Alternaria longipes</i>	0.11
<i>Penicillium chrysogenum</i>	0.06
<i>Filobasidium magnum</i>	0.05
Saccotheciaeae	0.05
<i>Stemphylium vesicarium</i>	0.04
<i>Phaeosphaeria</i> sp.	0.03
<i>Alternaria infectoria</i>	0.03
<i>Papiliotrema frias</i>	0.03
<i>Plantago coronopus</i>	0.03
<i>Curvularia coatesiae</i>	0.03
Pleosporales	0.02
<i>Botrytis cinerea</i>	0.02
<i>Rhodotorula glutinis</i>	0.02
<i>Periconia</i> sp.	0.02
<i>Debaryomyces</i> sp.	0.02
<i>Ascochyta</i> sp.	0.02
<i>Nigrospora sphaerica</i>	0.02
Fungi	0.02
<i>Pyrenopeziza leptospora</i>	0.02
Uncultured <i>Caloplaca</i> sp.	0.02
<i>Wallemia muriae</i>	0.02
<i>Bourletiella hortensis</i>	0.01

<i>Pseudotaeniolina globosa</i>	0.01
<i>Curvularia canadiensis</i>	0.01
<i>Holtermanniella takashimae</i>	0.01
<i>Bipolaris cynodontis</i>	0.01
<i>Cystofilobasidium</i> sp.	0.01
<i>Chalara</i> sp.	0.01
<i>Fusarium equiseti</i>	0.01
<i>Emmia lacerata</i>	0.01
<i>Phaeosphaeriopsis</i> sp.	0.01
<i>Penicillium griseoroseum</i>	0.01
<i>Kazachstania servazzii</i>	0.01
<i>Rhodotorula mucilaginosa</i>	0.01
<i>Helianthus annuus</i>	0.01
Uncultured Ascomycota	0.01
<i>Neodevriesia</i> sp.	0.01
<i>Scopulariopsis</i> sp.	0.01
Uncultured <i>Cryptococcus</i> sp.	0.01
<i>Neophaeotheca salicorniae</i>	0.01
<i>Paraconiothyrium</i> sp.	0.01
<i>Candida albicans</i>	0.01
<i>Vishniacozyma heimaeyensis</i>	0.01
<i>Cryptococcus</i> sp.	0.01
<i>Medicago polymorpha</i>	0.01
<i>Plantago lanceolata</i>	0.01
<i>Solanum lycopersicum</i>	0.01
<i>Phaeothecoidea minutispora</i>	0.01
<i>Pyrenophora variabilis</i>	0.01
<i>Verrucaria danica</i>	0.01
<i>Ustilaginoidea virens</i>	0.01
<i>Filobasidium wieringae</i>	0.01
Miscellaneous unidentified	0.32
Total	100.00

Bag 8 Melbourne Metropolitan

Bag 8. Species. ITS2	% Hits
<i>Trichophyton rubrum</i>	37.45
<i>Trichophyton mentagrophytes</i>	19.05
<i>Cladosporium</i> sp.	10.41
<i>Candida albicans</i>	7.21
<i>Epicoccum nigrum</i>	3.30
<i>Fusarium oxysporum</i>	2.77

<i>Aspergillus tabacinus</i>	1.94
<i>Scopulariopsis brevicaulis</i>	1.71
<i>Candida parapsilosis</i>	1.41
<i>Rhodotorula mucilaginosa</i>	1.19
Uncultured Fungi	1.16
<i>Alternaria longipes</i>	0.75
<i>Neoscytalidium</i> sp.	0.65
<i>Aspergillus fumigatus</i>	0.61
<i>Vishniacozyma tephrensis</i>	0.53
<i>Pseudopithomyces palmicola</i>	0.49
<i>Trichosporon ovoides</i>	0.43
<i>Filobasidium magnum</i>	0.41
<i>Penicillium chrysogenum</i>	0.40
<i>Cutaneotrichosporon</i> sp.	0.39
Saccotheciaeae	0.36
Pleosporales	0.30
<i>Aspergillus</i> sp.	0.28
<i>Bipolaris</i> sp.	0.24
<i>Holtermanniella takashimae</i>	0.17
<i>Paecilomyces maximus</i>	0.16
<i>Neoascochyta paspali</i>	0.16
<i>Cystofilobasidium</i> sp.	0.15
Other	0.14
Fungi	0.14
<i>Exophiala lecanii-corni</i>	0.13
<i>Debaryomyces</i> sp.	0.12
<i>Cystobasidium slooffiae</i>	0.12
<i>Filobasidium uniguttulatum</i>	0.12
<i>Rhodotorula glutinis</i>	0.11
<i>Alternaria infectoria</i>	0.11
<i>Ascochyta</i> sp.	0.10
<i>Botrytis cinerea</i>	0.10
<i>Fusarium solani</i>	0.10
<i>Scopulariopsis</i> sp.	0.09
<i>Penicillium griseoroseum</i>	0.09
<i>Ustilaginoidea virens</i>	0.09
<i>Pyrenophora erythrospila</i>	0.09
<i>Filobasidium wieringae</i>	0.09
<i>Cutaneotrichosporon debeurmannianum</i>	0.08
Dothideales	0.08
Uncultured Ascomycota	0.07
Magnoliophyta sp. (environmental)	0.07

<i>Melaleuca bracteata</i>	0.07
<i>Trifolium</i> sp. (environmental)	0.06
<i>Papiliotrema frias</i>	0.06
<i>Verrucaria muralis</i>	0.06
<i>Bipolaris cynodontis</i>	0.06
<i>Diaporthe foeniculina</i>	0.06
<i>Fusarium equiseti</i>	0.06
<i>Occultifur</i> sp.	0.05
<i>Bellis pusilla</i>	0.05
<i>Microdochium bolleyi</i>	0.05
<i>Kazachstania servazzii</i>	0.05
<i>Epidermophyton floccosum</i>	0.05
Uncultured <i>Coniosporium</i> sp.	0.04
<i>Saccharomyces cerevisiae</i>	0.04
<i>Aspergillus pseudoglaucus</i>	0.04
<i>Wallemia muriae</i>	0.04
<i>Penicillium</i> sp.	0.04
<i>Aspergillus flocculosus</i>	0.04
<i>Trebouxia</i> sp.	0.04
<i>Neocucurbitaria unguis-hominis</i>	0.04
[<i>Candida</i>] <i>zeylanoides</i>	0.04
<i>Coprinellus micaceus</i>	0.04
<i>Phaeosphaeria</i> sp.	0.04
<i>Claviceps perihumidiphila</i>	0.04
<i>Plantago coronopus</i>	0.03
<i>Bourletiella hortensis</i>	0.03
<i>Gliomastix murorum</i>	0.03
<i>Dothidea eucalypti</i>	0.03
<i>Pseudotaeniolina globosa</i>	0.03
<i>Ramularia</i> sp.	0.03
Basidiomycota	0.03
<i>Cryptococcus</i> sp.	0.03
<i>Malassezia sympodialis</i>	0.03
uncultured Trebouxiophyceae	0.03
<i>Neoascchyta desmazieri</i>	0.03
<i>Periconia</i> sp.	0.03
<i>Symmetrospora foliicola</i>	0.03
Uncultured <i>Trebouxia</i> sp.	0.03
<i>Phoma</i> sp.	0.03
<i>Aspergillus spinulosporus</i>	0.03
<i>Phaeothecoidea minutispora</i>	0.02
<i>Curvularia coatesiae</i>	0.02

<i>Phialophora intermedia</i>	0.02
<i>Rhodosporidiobolus colostri</i>	0.02
<i>Coniothyrium hakeae</i>	0.02
<i>Phlebiopsis</i> sp.	0.02
<i>Rhizophlyctis rosea</i>	0.02
<i>Alternaria porri</i>	0.02
<i>Pyrenophora dictyoides</i>	0.02
<i>Chalara</i> sp.	0.02
<i>Leucosporidium scottii</i>	0.02
<i>Neodevriesia</i> sp.	0.02
Uncultured <i>Peyronellaea</i> sp.	0.02
<i>Phaeosphaeriopsis</i> sp.	0.02
<i>Trametes</i> sp.	0.02
<i>Sporobolomyces lactosus</i>	0.02
<i>Betula kotulae</i>	0.02
<i>Nigrospora osmanthi</i>	0.02
<i>Bjerkandera adusta</i>	0.02
<i>Cystofilobasidium capitatum</i>	0.02
<i>Udeniomyces</i> sp.	0.02
<i>Poa annua</i>	0.02
<i>Phaeophleospora hymenocallidicola</i>	0.02
<i>Pyrenopeziza leptospora</i>	0.02
Uncultured <i>Caloplaca</i> sp.	0.02
<i>Apiotrichum montevideense</i>	0.02
<i>Sporobolomyces roseus</i>	0.02
<i>Cyphelophora laciniata</i>	0.02
[<i>Exophiala</i>] <i>eucalyptorum</i>	0.02
<i>Neocucurbitaria keratinophila</i>	0.02
<i>Aspergillus niger</i>	0.02
<i>Penicillium brevicompactum</i>	0.02
<i>Verrucaria</i> sp.	0.02
<i>Plectosphaerella</i> sp.	0.02
<i>Acremonium</i> sp.	0.02
<i>Fusarium reticulatum</i>	0.02
<i>Microdochium neoqueenslandicum</i>	0.02
<i>Desmochloris mollenhaueri</i>	0.02
<i>Botryosphaeria</i> sp.	0.01
<i>Microxiphium theae</i>	0.01
<i>Rhodotorula</i> sp.	0.01
<i>Bullera</i> sp.	0.01
<i>Plantago lanceolata</i>	0.01
<i>Eucalyptus yarraensis</i>	0.01

<i>Cercospora</i> sp.	0.01
Uncultured Pleosporales	0.01
<i>Parastagonospora avenae</i>	0.01
<i>Verrucaria danica</i>	0.01
<i>Schizophyllum commune</i>	0.01
Ascomycota	0.01
<i>Dothiorella</i> sp.	0.01
<i>Stemphylium vesicarium</i>	0.01
<i>Teichospora pusilla</i>	0.01
<i>Papiliotrema aurea</i>	0.01
<i>Lophostemon confertus</i>	0.01
<i>Prunus persica</i>	0.01
<i>Peltaster</i> sp.	0.01
<i>Aureobasidium</i> sp.	0.01
<i>Aspergillus conicus</i>	0.01
<i>Myrmecridium</i> sp.	0.01
<i>Trametes hirsuta</i>	0.01
Uncultured <i>Peritrichia</i> sp.	0.01
<i>Tetrahymena</i> sp.	0.01
<i>Rhinocladiella</i> sp.	0.01
<i>Phacidium</i> sp.	0.01
<i>Simplicillium lanosoniveum</i>	0.01
Uncultured <i>Nectria</i> sp.	0.01
<i>Parasarocladium tasmaniæ</i>	0.01
<i>Xepicula leucotricha</i>	0.01
<i>Bartalinia</i> sp.	0.01
<i>Cystobasidium laryngis</i>	0.01
Tremellomycetes	0.01
<i>Apatococcus</i> sp.	0.01
Uncultured eukaryote	0.01
<i>Cicurina</i> sp.	0.01
Uncultured Neodevriesiaceae	0.01
Uncultured Teratosphaeriaceae	0.01
<i>Parapyrenochaeta acaciae</i>	0.01
<i>Phaeosphaeriaceae</i> sp.	0.01
<i>Pleosporaceae</i> sp.	0.01
<i>Bradymyces alpinus</i>	0.01
Sordariomycetes	0.01
<i>Colletotrichum boninense</i>	0.01
<i>Colletotrichum</i> sp.	0.01
<i>Microdochium</i> sp.	0.01
<i>Agaricus vaporarius</i>	0.01

<i>Medicago polymorpha</i>	0.01
<i>Pisum sativum</i>	0.01
<i>Fraxinus retusa</i>	0.01
<i>Cenchrus purpurascens</i>	0.01
<i>Pseudosydowia eucalypti</i>	0.01
<i>Aposphaeria corallinolutea</i>	0.01
<i>Periconia neobrittanica</i>	0.01
<i>Preussia</i> sp.	0.01
<i>Exophiala psychrophila</i>	0.01
<i>Exophiala</i> sp.	0.01
<i>Lecanora polytropa</i>	0.01
<i>Pilidium lythri</i>	0.0
<i>Cytospora</i> sp.	0.01
<i>Fusarium domesticum</i>	0.01
<i>Microascus paisii</i>	0.01
<i>Chaetomium globosum</i>	0.01
<i>Coprinellus disseminatus</i>	0.01
<i>Pholiota chоценensis</i>	0.01
<i>Tubaria dispersa</i>	0.01
<i>Xylodon australis</i>	0.01
<i>Xylodon serpentiformis</i>	0.01
<i>Peniophora</i> sp.	0.01
<i>Sakaguchia dacryoidea</i>	0.01
<i>Exobasidium japonicum</i>	0.01
<i>Rhodotorula dairenensis</i>	0.01
<i>Tausonia pullulans</i>	0.01
<i>Naganishia</i> sp.	0.01
<i>Fonsecazyma</i> sp.	0.01
Fungal endophyte	0.01
<i>Umthunziomyces hagahagensis</i>	0.01
<i>Rachicladosporium cbliae</i>	0.01
<i>Alternaria</i> sp.	0.01
<i>Curvularia lunata</i>	0.01
<i>Preussia typharum</i>	0.01
<i>Roussella euonymi</i>	0.01
<i>Cyphelophora europaea</i>	0.01
<i>Cladophialophora proteae</i>	0.01
<i>Bacidia</i> sp.	0.01
Uncultured <i>Pezicula</i> sp.	0.01
<i>Metschnikowia</i> sp.	0.01
<i>Wickerhamomyces anomalus</i>	0.01
<i>Cytospora ceratosperma</i>	0.01

<i>Fusariella hughesii</i>	0.01
<i>Beauveria pseudobassiana</i>	0.01
<i>Fusarium merismoides</i>	0.01
<i>Pestalotia torrendii</i>	0.01
<i>Clitopilus scyphoides</i>	0.01
<i>Psilocybe cyanescens</i>	0.01
<i>Adustochaete interrupta</i>	0.01
<i>Symmetrospora coprosmae</i>	0.01
<i>Pseudomicrostroma phylloplanum</i>	0.01
<i>Leucosporidium golubevii</i>	0.01
Uncultured <i>Cryptococcus</i> sp.	0.01
Filibasidiales	0.01
<i>Vishniacozyma heimaeyensis</i>	0.01
<i>Papiliotrema</i> sp.	0.01
<i>Saitozyma</i> sp.	0.01
<i>Cutaneotrichosporon curvatum</i>	0.01
<i>Farysia olivacea</i>	0.01
<i>Arctotheca prostrata</i>	0.01
<i>Helianthus annuus</i>	0.01
<i>Taraxacum mongolicum</i>	0.01
<i>Myosotis sylvatica</i>	0.01
<i>Phaseolus vulgaris</i>	0.01
<i>Parietaria cretica</i>	0.01
Miscellaneous unidentified	0.60
Total	100.00

Bag 9 Melbourne Metropolitan

Bag 9. Species. ITS2	% Hits
<i>Trichophyton rubrum</i>	42.51
<i>Trichophyton mentagrophytes</i>	17.85
<i>Cladosporium</i> sp.	10.25
<i>Candida parapsilosis</i>	2.30
<i>Fusarium oxysporum</i>	2.28
<i>Epicoccum nigrum</i>	2.00
<i>Aspergillus tabacinus</i>	1.89
<i>Rhodotorula mucilaginosa</i>	1.55
Uncultured Fungi	1.34
<i>Byssochlamys spectabilis</i>	1.24
<i>Alternaria longipes</i>	1.00
<i>Scopulariopsis brevicaulis</i>	0.93
<i>Penicillium chrysogenum</i>	0.92

<i>Candida albicans</i>	0.91
<i>Scedosporium apiospermum</i>	0.91
<i>Scopulariopsis</i> sp.	0.69
<i>Filobasidium magnum</i>	0.57
<i>Epidermophyton floccosum</i>	0.45
<i>Saccharomyces cerevisiae</i>	0.41
<i>Vishniacozyma tephrensis</i>	0.40
<i>Alternaria infectoria</i>	0.34
<i>Pseudopithomyces palmicola</i>	0.33
<i>Saccotheciacae</i>	0.33
<i>Diaporthe foeniculina</i>	0.30
<i>Penicillium griseoroseum</i>	0.25
<i>Aspergillus fumigatus</i>	0.24
<i>Debaryomyces</i> sp.	0.22
<i>Magnoliophyta</i> (environmental)	0.21
<i>Aspergillus</i> sp.	0.21
Other	0.21
<i>Cystofilobasidium</i> sp.	0.15
<i>Holtermanniella takashimae</i>	0.15
<i>Bipolaris cynodontis</i>	0.14
<i>Rhodotorula glutinis</i>	0.14
<i>Kazachstania servazzii</i>	0.14
<i>Cutaneotrichosporon curvatum</i>	0.14
<i>Botrytis cinerea</i>	0.13
<i>Ascochyta</i> sp.	0.12
<i>Verrucaria muralis</i>	0.12
Fungi	0.12
<i>Filobasidium wieringae</i>	0.11
<i>Clonostachys epiclode</i>	0.10
<i>Cystobasidium slooffiae</i>	0.10
Uncultured <i>Coniosporium</i> sp.	0.10
<i>Neoascochyta paspali</i>	0.10
<i>Aspergillus flocculosus</i>	0.10
<i>Cutaneotrichosporon</i> sp.	0.09
Uncultured Ascomycota	0.09
<i>Ustilaginoidea virens</i>	0.09
<i>Pyrenophora erythrosipa</i>	0.08
Tremellomycetes	0.08
<i>Penicillium brevicompactum</i>	0.08
<i>Filobasidium uniguttulatum</i>	0.08
<i>Aspergillus spinulosporus</i>	0.07
<i>Pisum sativum</i>	0.07

<i>Papiliotrema frias</i>	0.07
<i>Plantago lanceolata</i>	0.07
<i>Bourletiella hortensis</i>	0.07
<i>Prunus persica</i>	0.07
<i>Phaeosphaeria</i> sp.	0.06
<i>Coniothyrium hakeae</i>	0.06
<i>Alternaria porri</i>	0.06
<i>Pyrenophora graminea</i>	0.06
uncultured Trebouxiphyceae	0.06
<i>Stemphylium vesicarium</i>	0.05
<i>Occultifur</i> sp.	0.05
<i>[Candida] zeylanoides</i>	0.05
<i>Fusarium equiseti</i>	0.05
<i>Trebouxia</i> sp.	0.05
<i>Hypopichia burtonii</i>	0.05
Uncultured eukaryote	0.04
<i>Ramularia</i> sp.	0.04
<i>Petroselinum crispum</i>	0.04
<i>Fusarium solani</i>	0.04
Basidiomycota	0.04
<i>Neoscytalidium</i> sp.	0.04
<i>Malassezia sympodialis</i>	0.04
<i>Trifolium environmental</i>	0.04
Pleosporales	0.04
<i>Phaeosphaeriopsis</i> sp.	0.04
<i>Bipolaris</i> sp.	0.04
<i>Cytospora</i> sp.	0.04
<i>Bryum argenteum</i>	0.04
<i>Seimatosporium mariae</i>	0.03
Uncultured <i>Caloplaca</i> sp.	0.03
<i>Coprinellus micaceus</i>	0.03
<i>Claviceps perihumidiphila</i>	0.03
Ascomycota	0.0
<i>Trichoderma afroharzianum</i>	0.03
<i>Xepicula leucotricha</i>	0.03
<i>Nigrospora sphaerica</i>	0.03
<i>Botryosphaeria</i> sp.	0.03
<i>Phaeothecoidea minutispora</i>	0.03
<i>Penicillium</i> sp.	0.03
<i>Microdochium neoqueenslandicum</i>	0.03
<i>Bartalinia</i> sp.	0.03
<i>Rhytidhysteron rufulum</i>	0.03

<i>Sporobolomyces roseus</i>	0.03
<i>Pseudosydonia eucalypti</i>	0.02
<i>Neodevriesia</i> sp.	0.02
<i>Peroneutypa scoparia</i>	0.02
<i>Cystofilobasidium capitatum</i>	0.02
<i>Kondoa aeria</i>	0.02
<i>Periconia</i> sp.	0.02
<i>Chalara</i> sp.	0.02
<i>Microdochium bolleyi</i>	0.02
<i>Microdochium</i> sp.	0.02
Uncultured <i>Trebouxia</i> sp.	0.02
<i>Quercus faginea</i>	0.02
<i>Melaleuca linariifolia</i>	0.02
Uncultured <i>Peyronellaea</i> sp.	0.02
<i>Phoma</i> sp.	0.02
<i>Sclerotinia tetraspora</i>	0.02
<i>Phlebia acanthocystis</i>	0.02
<i>Leucosporidium scottii</i>	0.02
<i>Rhodotorula</i> sp.	0.02
<i>Cryptococcus</i> sp.	0.02
<i>Lembosiniella eucalyptorum</i>	0.02
Uncultured Pleosporales	0.02
[<i>Exophiala</i>] <i>eucalyptorum</i>	0.02
<i>Bradymyces alpinus</i>	0.02
<i>Trametes hirsuta</i>	0.02
<i>Plantago coronopus</i>	0.02
<i>Zalaria obscura</i>	0.02
<i>Penicillium fagi</i>	0.02
<i>Paracylindrocarpon aloicola</i>	0.02
<i>Fusarium reticulatum</i>	0.02
<i>Phlebiopsis</i> sp.	0.02
<i>Sporobolomyces</i> sp.	0.02
<i>Lophostemon confertus</i>	0.02
<i>Rachicladosporium</i> sp.	0.02
<i>Cercosporidium californicum</i>	0.02
<i>Neoascochyta desmazieri</i>	0.02
<i>Verrucaria danica</i>	0.02
<i>Dinemasporium americana</i>	0.02
<i>Fonsecazyma</i> sp.	0.02
<i>Desmochloris mollenhaueri</i>	0.02
<i>Phaeosphaeria</i> cf.	0.01
<i>Ochroconis musae</i>	0.01

<i>Aspergillus niger</i>	0.01
<i>Rhizoctonia solani</i>	0.01
Polyporales	0.01
<i>Tausonia pullulans</i>	0.01
Tremellales	0.01
<i>Pseudostichococcus monallantoides</i>	0.01
Embryophyte (environmental)	0.01
<i>Pistacia chinensis</i>	0.01
<i>Toxicocladosporium irritans</i>	0.01
<i>Aureobasidium</i> sp.	0.01
<i>Cercospora</i> sp.	0.01
<i>Neocucurbitaria unguis-hominis</i>	0.01
<i>Alternaria</i> sp.	0.01
<i>Pyrenopeziza leptospora</i>	0.01
<i>Teichospora pusilla</i>	0.01
<i>Cyphelophora laciniata</i>	0.01
<i>Aspergillus conicus</i>	0.01
<i>Thelebolus microsporus</i>	0.01
<i>Psathyrella</i> sp.	0.01
<i>Skeletocutis nivea</i>	0.01
<i>Bjerkandera adusta</i>	0.01
<i>Trametes</i> sp.	0.01
<i>Sporobolomyces lactosus</i>	0.01
<i>Bullera</i> sp.	0.01
<i>Trebouxia</i> aff.	0.01
<i>Opisthonetia</i> sp.	0.01
<i>Carum carvi</i>	0.01
<i>Pseudotaeniolina globosa</i>	0.01
<i>Cryptocoryneum pseudorilstonei</i>	0.01
<i>Aspergillus parasiticus</i>	0.01
<i>Plectosphaerella</i> sp.	0.01
<i>Calcarisporium</i> sp.	0.01
<i>Trochilispora schefflerae</i>	0.01
<i>Phlebia livida</i>	0.01
<i>Naganishia</i> sp.	0.01
<i>Dimennazyma cisti-albidi</i>	0.01
<i>Buxus sempervirens</i>	0.01
<i>Trifolium subterraneum</i>	0.01
<i>Prunus salicina</i>	0.0
Fungal endophyte	0.01
<i>Diplodia</i> sp.	0.0
<i>Pithomyces cynodontis</i>	0.01

<i>Pseudocamarosporium eucalypti</i>	0.01
Uncultured <i>Exophiala</i> sp.	0.01
<i>Exophiala dermatitidis</i>	0.01
<i>Podosphaera pannosa</i>	0.01
<i>Cytospora ceratosperma</i>	0.01
<i>Microascus paisii</i>	0.01
<i>Physalospora scirpi</i>	0.01
Uncultured Basidiomycota	0.01
<i>Mycena</i> sp.	0.01
<i>Vanrija</i> sp.	0.01
<i>Farysia olivacea</i>	0.01
<i>Wallemia muriae</i>	0.0
<i>Juglans regia</i>	0.01
<i>Eucalyptus yarraensis</i>	0.01
<i>Digitaria exilis</i>	0.01
<i>Solanum lycopersicum</i>	0.0
Leotiomyceta	0.01
<i>Phaeococomyces mexicanus</i>	0.01
<i>Dothiorella</i> sp.	0.01
<i>Rachicladosporium cboliae</i>	0.01
<i>Dothidea eucalypti</i>	0.01
<i>Hortaea thailandica</i>	0.01
<i>Setoseptoria scirpi</i>	0.01
<i>Leptosphaeria rubefaciens</i>	0.01
<i>Aspergillus penicillioides</i>	0.01
<i>Xanthoparmelia barbatica</i>	0.01
<i>Acremonium</i> sp.	0.01
<i>Neophysalospora eucalypti</i>	0.01
<i>Neopestalotiopsis</i> sp.	0.01
<i>Taphrina carpini</i>	0.01
Basidiomycota	0.01
<i>Coprinopsis sclerotiger</i>	0.01
<i>Peniophora</i> sp.	0.01
<i>Kondoa malvinella</i>	0.01
<i>Symmetrospora foliicola</i>	0.01
<i>Vishniacozyma heimaeyensis</i>	0.01
Uncultured Chlorophyta	0.01
<i>Bellis pusilla</i>	0.01
<i>Homalanthus populifolius</i>	0.01
<i>Cenchrus purpurascens</i>	0.01
Uncultured Dothideomycetes	0.01
Uncultured Capnodiales	0.01

<i>Helgardiomyces anguoides</i>	0.01
Uncultured <i>Devriesia</i> sp.	0.01
<i>Angustumassarina</i> sp.	0.01
<i>Leptosphaeria maculans</i>	0.01
<i>Leptosphaeria weimeri</i>	0.01
<i>Drechslera</i> sp.	0.01
<i>Neophaeococomyces aloes</i>	0.01
<i>Aspergillus pseudoglaucus</i>	0.01
<i>Bacidia</i> sp.	0.01
<i>Hyaloscypa</i> sp.	0.01
<i>Heydenia alpina</i>	0.01
<i>Cyberlindnera jadinii</i>	0.01
<i>Wickerhamomyces anomalus</i>	0.01
<i>Gaeumannomyces graminis</i>	0.01
<i>Bagadiella eucalyptorum</i>	0.01
<i>Eutypa leptoplaca</i>	0.01
<i>Xylaria fimbriata</i>	0.01
cf. <i>Fomitopsis</i> sp.	0.01
<i>Ganoderma australe</i>	0.01
<i>Sertulicium jacksonii</i>	0.01
<i>Symmetrospora</i> sp.	0.01
<i>Cerinomyces</i> sp.	0.01
<i>Sampaiozyma</i> sp.	0.01
<i>Cryptotrichosporon tibetense</i>	0.01
<i>Deuterostichococcus epilithicus</i>	0.01
<i>Rhizophlyctis rosea</i>	0.01
<i>Conyza bonariensis</i>	0.01
<i>Helianthus annuus</i>	0.01
<i>Quercus canariensis</i>	0.01
Uncultured <i>Capnobotryella</i> sp.	0.01
Uncultured <i>Pezizomycotina</i>	0.01
Uncultured <i>Cladosporium</i> sp.	0.01
Dothideales	0.01
<i>Gloniopsis calami</i>	0.01
<i>Gloniopsis subrugosa</i>	0.01
<i>Paraleptosphaeria macrospora</i>	0.01
<i>Neostagonospora</i> sp.	0.01
<i>Cladophialophora proteae</i>	0.01
<i>Exophiala placitae</i>	0.01
<i>Phaeoannellomyces elegans</i>	0.01
<i>Lithohyppha aloicola</i>	0.01
<i>Paecilomyces maximus</i>	0.01

<i>Verrucaria nigrescens</i>	0.01
<i>Tricladium terrestre</i>	0.01
<i>Citeromyces matritensis</i>	0.01
Uncultured <i>Hanseniaspora</i> sp.	0.01
<i>Coniochaeta</i> sp.	0.01
<i>Conioscypha tenebrosa</i>	0.01
<i>Acremonium fusidioides</i>	0.01
<i>Gliomastix polychroma</i>	0.01
<i>Fusarium poae</i>	0.01
<i>Thielaviopsis</i> sp.	0.01
<i>Myceliophthora lutea</i>	0.01
<i>Pestalotiopsis</i> sp.	0.01
<i>Rhizoctonia</i> sp.	0.01
<i>Perenniporia maackiae</i>	0.01
<i>Antrodiella zonata</i>	0.01
<i>Leucosporidium golubevii</i>	0.01
<i>Rhodosporidiobolus colostri</i>	0.01
<i>Heterocephalacria arrabidensis</i>	0.01
<i>Farysia setubalensis</i>	0.01
<i>Pseudochlorella pyrenoidosa</i>	0.01
<i>Pseudochlorella signiensis</i>	0.01
<i>Medicago polymorpha</i>	0.01
<i>Corymbia eximia</i>	0.01
<i>Phalaris canariensis</i>	0.01
Miscellaneous unidentified	0.41
Total	100.00

Bag 33 Bass Coast

Bag 33. Species. ITS2	% Hits
<i>Scopulariopsis brevicaulis</i>	35.62
<i>Trichophyton rubrum</i>	22.70
<i>Trichophyton mentagrophytes</i>	17.62
<i>Fusarium oxysporum</i>	4.66
<i>Aspergillus tabacinus</i>	3.54
<i>Cladosporium</i> sp.	3.34
<i>Candida parapsilosis</i>	2.31
<i>Epicoccum nigrum</i>	1.71
<i>Pseudopithomyces palmicola</i>	1.15
Uncultured Fungi	0.65
<i>Alternaria longipes</i>	0.49
<i>Scopulariopsis</i> sp.	0.45

<i>Bellis pusilla</i>	0.37
<i>Filobasidium magnum</i>	0.33
<i>Rhodotorula mucilaginosa</i>	0.25
<i>Ustilaginoidea virens</i>	0.25
<i>Ramularia</i> sp.	0.22
<i>Filobasidium uniguttulatum</i>	0.19
<i>Aspergillus</i> sp.	0.18
<i>Rhodotorula glutinis</i>	0.17
<i>Vishniacozyma tephrensis</i>	0.15
<i>Saccotheciacae</i>	0.14
<i>Neoascochyta paspali</i>	0.14
<i>Penicillium griseoroseum</i>	0.13
<i>Cannabis sativa</i>	0.13
<i>Aspergillus spinulosporus</i>	0.11
<i>Acremonium</i> sp.	0.11
<i>Wallemia muriae</i>	0.11
<i>Debaryomyces</i> sp.	0.10
<i>Epidermophyton floccosum</i>	0.08
<i>Penicillium chrysogenum</i>	0.08
<i>Verrucaria muralis</i>	0.07
<i>Modiola caroliniana</i>	0.07
Uncultured <i>Caloplaca</i> sp.	0.07
<i>Alternaria infectoria</i>	0.07
Other	0.07
<i>Trifolium</i> (environmental)	0.06
<i>Nectaromyces rattus</i>	0.06
<i>Trebouxia</i> sp.	0.06
<i>Curvularia coatesiae</i>	0.06
<i>Cystofilobasidium</i> sp.	0.06
<i>Holtermanniella takashimae</i>	0.05
<i>Cutaneotrichosporon</i> sp.	0.05
<i>Papiliotrema frias</i>	0.05
<i>Bourletiella hortensis</i>	0.05
<i>Claviceps perihumidiphila</i>	0.05
<i>Aspergillus restrictus</i>	0.04
<i>Penicillium</i> sp.	0.04
<i>Fusarium equiseti</i>	0.04
<i>Solanum lycopersicum</i>	0.04
<i>Curvularia spicifera</i>	0.04
<i>Kazachstania servazzii</i>	0.04
<i>Saccharomyces cerevisiae</i>	0.04
<i>Microascus verrucosus</i>	0.04

<i>Corallomyces repens</i>	0.04
Uncultured Ascomycota	0.03
<i>Phaeosphaeria</i> sp.	0.03
<i>Microdochium bolleyi</i>	0.03
<i>Cryptococcus</i> sp.	0.03
<i>Wallemia ichthyophaga</i>	0.03
<i>Sympoventuria capensis</i>	0.03
<i>Fusarium reticulatum</i>	0.03
Pleosporaceae	0.02
<i>Phlebiopsis</i> sp.	0.02
<i>Phaeothecoidea minutispora</i>	0.02
<i>Nigrospora sphaerica</i>	0.02
<i>Lasiodiplodia theobromae</i>	0.02
Pleosporales	0.02
<i>Botrytis cinerea</i>	0.02
<i>Occultifur</i> sp.	0.02
<i>Pseudochlorella signiensis</i>	0.02
<i>Aspergillus fumigatus</i>	0.02
Fungi	0.02
<i>Arthrophysis kalrae</i>	0.02
<i>Neodevriesia</i> sp.	0.02
<i>Yamadazyma triangularis</i>	0.02
<i>Cenchrus purpurascens</i>	0.02
<i>Botryosphaeria</i> sp.	0.01
<i>Aspergillus pseudoglaucus</i>	0.01
<i>Chalara</i> sp.	0.01
Basidiomycota sp.	0.01
<i>Cystobasidium slooffiae</i>	0.01
Uncultured <i>Coniosporium</i> sp.	0.01
<i>Neoscytalidium</i> sp.	0.01
<i>Arachnomyces nodosetosus</i>	0.01
<i>Plectosphaerella</i> sp.	0.01
Hypocreales	0.01
<i>Rhodotorula</i> sp.	0.01
<i>Cystofilobasidium ferigula</i>	0.01
<i>Tausonia pullulans</i>	0.01
<i>Papiliotrema mangalensis</i>	0.01
Uncultured Trebouxiophyceae	0.01
<i>Helianthus annuus</i>	0.01
<i>Pilidium acerinum</i>	0.01
<i>Iodophanus testaceus</i>	0.01
<i>Filobasidium wieringae</i>	0.01

Uncultured eukaryote	0.01
Ascomycota	0.01
Uncultured Pezizomycotina	0.01
<i>Candida tropicalis</i>	0.01
<i>Symmetrospora coprosmae</i>	0.01
<i>Arcotheca prostrata</i>	0.01
<i>Digitaria exilis</i>	0.01
<i>Ascochyta</i> sp.	0.01
<i>Phaeosphaeriopsis</i> sp.	0.01
<i>Cyphellophora laciniate</i>	0.01
<i>Exophiala psychrophila</i>	0.01
<i>Xepicula leucotricha</i>	0.01
<i>Coprosma lucida</i>	0.01
<i>Pyrenopeziza</i> sp.	0.01
<i>Sphaerellopsis</i> sp.	0.01
<i>Stemphylium vesicarium</i>	0.01
<i>Pyrenopeziza leptospora</i>	0.01
<i>Microdochium</i> sp.	0.01
<i>Bartalinia</i> sp.	0.01
<i>Sterigmatomyces halophilus</i>	0.01
<i>Leucosporidium scottii</i>	0.01
<i>Trebouxia</i> aff.	0.01
<i>Hypochaeris radicata</i>	0.01
<i>Trifolium subterraneum</i>	0.01
<i>Callistemon viminalis</i>	0.01
<i>Epacris pulchella</i>	0.01
<i>Diplodia</i> sp.	0.01
<i>Hortaea thailandica</i>	0.01
<i>Sphaerellopsis filum</i>	0.01
<i>Pilidium lythri</i>	0.01
<i>Colletotrichum destructivum</i>	0.01
<i>Colletotrichum</i> sp.	0.01
<i>Volutella ciliata</i>	0.01
<i>Microdochium neoqueenslandicum</i>	0.01
Uncultured Basidiomycota	0.01
<i>Xylodon</i> sp.	0.01
<i>Peniophora fissilis</i>	0.01
Exobasidiomycetidae	0.01
<i>Farysia setubalensis</i>	0.01
<i>Pseudostichococcus monallantoides</i>	0.01
<i>Prototheca ciferrii</i>	0.01
<i>Plantago lanceolata</i>	0.01

Miscellaneous unidentified	0.25
Total	100.00

Bag 34 Shepparton

Bag 34. Species. ITS2	% Hits
<i>Trichophyton mentagrophytes</i>	30.71
<i>Trichophyton rubrum</i>	12.14
<i>Cladosporium</i> sp.	6.13
<i>Aspergillus tabacinus</i>	4.16
<i>Candida albicans</i>	3.83
<i>Epicoccum nigrum</i>	3.58
Uncultured fungus	2.66
<i>Rhodotorula mucilaginosa</i>	2.56
<i>Alternaria longipes</i>	2.41
<i>Cystofilobasidium</i> sp.	2.35
<i>Filobasidium magnum</i>	2.25
<i>Vishniacozyma tephrensis</i>	1.72
<i>Holtermanniella takashimae</i>	1.41
<i>Fusarium oxysporum</i>	1.25
<i>Penicillium chrysogenum</i>	1.22
<i>Scopulariopsis</i> sp.	1.13
<i>Filobasidium uniguttulatum</i>	1.05
<i>Scopulariopsis brevicaulis</i>	0.97
<i>Aspergillus</i> sp.	0.91
<i>Candida parapsilosis</i>	0.90
<i>Saccotheciaceae</i> sp.	0.84
<i>Neoscytalidium</i> sp.	0.80
leaf litter	0.57
<i>Pseudopithomyces palmicola</i>	0.55
<i>Debaryomyces</i> sp.	0.52
<i>Cutaneotrichosporon debeurmannianum</i>	0.50
<i>Penicillium griseoroseum</i>	0.46
<i>Aspergillus fumigatus</i>	0.40
<i>Botrytis cinerea</i>	0.35
<i>Rhodotorula glutinis</i>	0.29
<i>Aspergillus spinulosporus</i>	0.29
<i>Leucosporidium scottii</i>	0.27
<i>Ascochyta</i> sp.	0.27
<i>Penicillium</i> sp.	0.25
<i>Sampaiozyma</i> sp.	0.25
<i>Fusarium nygamai</i>	0.24

<i>Phlebiopsis</i> sp.	0.23
<i>Papiliotrema frias</i>	0.22
Uncultured Ascomycota	0.21
<i>Aspergillus niger</i>	0.20
Fungi	0.20
<i>Ustilaginoidea virens</i>	0.20
<i>Alternaria porri</i>	0.18
<i>Alternaria infectoria</i>	0.18
<i>Cystobasidium slooffiae</i>	0.18
<i>Fusarium equiseti</i>	0.17
<i>Aspergillus flavipes</i>	0.16
<i>Saccharomyces cerevisiae</i>	0.14
<i>Chaetomium globosum</i>	0.14
<i>Curvularia coatesiae</i>	0.14
<i>Purpureocillium lilacinum</i>	0.13
<i>Phaeosphaeria</i> cf.	0.13
<i>Pseudostichococcus monallantoides</i>	0.13
<i>Fernandinella</i> sp.	0.13
<i>Curvularia spicifera</i>	0.13
<i>Rhodotorula</i> sp.	0.12
<i>Filobasidium wieringae</i>	0.12
<i>Tausonia pullulans</i>	0.12
<i>Cutaneotrichosporon</i> sp.	0.12
<i>Paecilomyces maximus</i>	0.11
<i>Wallemia muriae</i>	0.11
<i>Phaeosphaeriopsis</i> sp.	0.11
<i>Arctotheca prostrata</i>	0.11
<i>Occultifur</i> sp.	0.11
<i>Ramularia</i> sp.	0.09
Other	0.09
<i>Aspergillus pseudoglaucus</i>	0.08
<i>Iodophanus testaceus</i>	0.08
<i>Stemphylium vesicarium</i>	0.08
Uncultured <i>Coniosporium</i>	0.08
<i>Epidermophyton floccosum</i>	0.08
<i>Cystofilobasidium capitatum</i>	0.08
<i>Aspergillus penicilliodes</i>	0.07
<i>Botryosphaeria</i> sp.	0.07
<i>Bartalinia</i> sp.	0.07
<i>Exophiala canceriae</i>	0.07
<i>Sporobolomyces roseus</i>	0.07
<i>Fraxinus angustifolia</i>	0.07

<i>Neocucurbitaria unguis-hominis</i>	0.06
<i>Arachnomyces</i> sp.	0.06
<i>Trichosporon ovoides</i>	0.06
<i>Pleosporales</i>	0.06
<i>Cladophialophora boppii</i>	0.06
<i>Verrucaria muralis</i>	0.06
<i>Scedosporium apiospermum</i>	0.06
<i>[Candida] zeylanoides</i>	0.06
<i>Microdochium bolleyi</i>	0.06
<i>[Candida] glabrata</i>	0.06
<i>Acremonium chrysogenum</i>	0.06
<i>Cryptococcus</i> sp.	0.06
<i>Fusarium reticulatum</i>	0.06
<i>Aspergillus parasiticus</i>	0.05
Uncultured <i>Peyronellaea</i> sp.	0.05
<i>Naganishia</i> sp.	0.05
<i>Cutaneotrichosporon curvatum</i>	0.05
<i>Chalara</i> sp.	0.05
<i>Medicago polymorpha</i>	0.05
<i>Macrophomina pseudophaseolina</i>	0.05
Uncultured <i>Cryptococcus</i> sp.	0.05
Ascomycota	0.05
<i>Penicillium brevicompactum</i>	0.04
<i>Phaeosphaeria</i> sp.	0.04
Uncultured Acarosporales	0.04
<i>Udeniomycetes</i> sp.	0.04
Uncultured Trebouxiophyceae	0.04
<i>Bipolaris cynodontis</i>	0.03
<i>Knufia epidermidis</i>	0.03
<i>Fusarium chlamydosporum</i>	0.03
<i>Ochroconis musae</i>	0.03
<i>Malassezia sympodialis</i>	0.03
<i>Phaseolus vulgaris</i>	0.03
<i>Alternaria</i> sp.	0.03
<i>Plectosphaerella</i> sp.	0.03
<i>Microascus paisii</i>	0.03
<i>Toxicocladosporium irritans</i>	0.03
<i>Verrucaria danica</i>	0.03
Basidiomycota	0.03
Uncultured <i>Apodus</i> sp.	0.02
<i>Coprinopsis atramentaria</i>	0.02
<i>Vishniacozyma</i> sp.	0.02

<i>Apotrichum montevideense</i>	0.02
<i>Planophila</i> sp.	0.02
Fungal endophyte	0.02
<i>Pseudocamarosporium eucalypti</i>	0.02
Uncultured Hymenochaetales	0.02
<i>Dinemasporium americana</i>	0.02
<i>Physalospora eucalypti</i>	0.02
<i>Dioszegia hungarica</i>	0.02
<i>Planophila laetevirens</i>	0.02
<i>Neocucurbitaria keratinophila</i>	0.02
<i>Pilidium lythri</i>	0.02
<i>Heydenia</i> sp.	0.02
<i>Hypopichia burtonii</i>	0.02
Sordariomycetes	0.02
<i>Sarocladium strictum</i>	0.02
<i>Plectosphaera eucalypti</i>	0.02
<i>Arthrinium</i> sp.	0.02
Uncultured Basidiomycota	0.02
<i>Symmetrospora coprosmae</i>	0.02
<i>Symmetrospora foliicola</i>	0.02
<i>Sporobolomyces lactosus</i>	0.02
<i>Paraphoma chrysanthemicola</i>	0.02
<i>Fusarium domesticum</i>	0.02
<i>Parasarocladium tasmaniiae</i>	0.02
<i>Digitaria exilis</i>	0.02
<i>Alternaria kulundii</i>	0.02
<i>Pyrenophora chaetomioides</i>	0.02
<i>Penicillium murcianum</i>	0.02
<i>Myrothecium</i> sp.	0.02
<i>Magnoliophyta environmental</i>	0.02
<i>Pseudosydowia eucalypti</i>	0.02
<i>Acanthostigma perpusillum</i>	0.02
<i>Penicillium fagi</i>	0.02
<i>Acremonium</i> sp.	0.02
<i>Trechispora confinis</i>	0.02
<i>Sterigmatomyces halophilus</i>	0.02
Uncultured <i>Trebouxia</i> sp.	0.02
<i>Lichenostigmatales</i> sp.	0.02
<i>Neoascochyta desmazieri</i>	0.02
<i>Pyrenopeziza leptospora</i>	0.02
<i>Trichoderma</i> sp.	0.02
<i>Coprinellus micaceus</i>	0.02

<i>Vishniacozyma heimaeyensis</i>	0.02
<i>Trebouxia</i> sp.	0.02
<i>Zalaria obscura</i>	0.01
<i>Capronia</i> sp.	0.01
<i>Wickerhamomyces anomalus</i>	0.01
<i>Erodium cicutarium</i>	0.01
<i>Phaeococomyces</i> sp.	0.01
<i>Pseudotaeniolina globosa</i>	0.01
<i>Coniothyrium hakeae</i>	0.01
<i>Phoma</i> sp.	0.01
<i>Neophaeomoniella eucalypti</i>	0.01
<i>Coniochaeta</i> sp.	0.01
<i>Xepicula leucotricha</i>	0.01
<i>Phialemonium inflatum</i>	0.01
<i>Botryotrichum verrucosum</i>	0.01
<i>Myceliophthora lutea</i>	0.01
<i>Sordaria fimicola</i>	0.01
<i>Tubaria</i> cf.	0.01
Tremellomycetes	0.01
<i>Cystofilobasidium ferigula</i>	0.01
<i>Hannaella</i> sp.	0.01
<i>Pseudochlorella signiensis</i>	0.01
<i>Bipolaris</i> sp.	0.01
<i>Cyphelophora europaea</i>	0.01
[<i>Exophiala</i>] <i>eucalyptorum</i>	0.01
<i>Aspergillus flocculosus</i>	0.01
<i>Verrucaria vitikainenii</i>	0.01
<i>Mycobilimbia tetramera</i>	0.01
<i>Thelebolus microsporus</i>	0.01
<i>Trichoderma atroviride</i>	0.01
<i>Cercophora</i> sp.	0.01
<i>Microdochium neoqueenslandicum</i>	0.01
<i>Peniophorella pertenuis</i>	0.01
<i>Cucurbita</i> (environmental)	0.01
Uncultured Pezizomycotina	0.01
<i>Neodevriesia</i> sp.	0.01
<i>Curvularia lunata</i>	0.01
<i>Teichospora pusilla</i>	0.01
<i>Roussella euonymi</i>	0.01
<i>Ochroconis</i> sp.	0.01
<i>Caloplaca</i> sp.	0.01
<i>Cadophora luteo-olivacea</i>	0.01

<i>Ascobolus</i> sp.	0.01
<i>Fusarium merismoides</i>	0.01
<i>Trametes</i> sp.	0.01
<i>Peniophora</i> sp.	0.01
<i>Sakaguchia</i> sp.	0.01
<i>Leucosporidium escuderoi</i>	0.01
<i>Rhodotorula dairenensis</i>	0.01
<i>Chlorosarcinopsis</i> sp.	0.01
<i>Allium cepa</i>	0.01
<i>Cucumis sativus</i>	0.01
<i>Trifolium</i> (environmental)	0.01
<i>Coniosporium uncinatum</i>	0.01
Uncultured <i>Cladosporium</i> sp.	0.01
<i>Aureobasidium</i> sp.	0.01
<i>Exophiala</i> sp.	0.01
<i>Phaeoannellomyces elegans</i>	0.01
<i>Phialophora livistonae</i>	0.01
<i>Aspergillus conicus</i>	0.01
<i>Spiromastix</i> sp.	0.01
<i>Lecania erysibe</i>	0.01
Uncultured <i>Oidiodendron</i> sp.	0.01
<i>Nectaromyces rattus</i>	0.01
<i>Kregervanrija fluxuum</i>	0.01
<i>Pichia kudriavzevii</i>	0.01
[<i>Lecythophora</i>] <i>canina</i>	0.01
<i>Cytospora</i> sp.	0.01
<i>Brunneomyces brunnescens</i>	0.01
<i>Acremonium citrinum</i>	0.01
<i>Protomyces inouyei</i>	0.01
<i>Taphrina carpini</i>	0.01
<i>Mycena amicta</i>	0.01
<i>Hypoloma brunneum</i>	0.01
<i>Sistotrema brinkmannii</i>	0.01
<i>Sistotrema</i> sp.	0.01
<i>Phlebia acanthocystis</i>	0.01
<i>Fonsecazyma</i> sp.	0.01
<i>Tupiella speciosa</i>	0.01
<i>Mucor racemosus</i>	0.01
<i>Sonchus oleraceus</i>	0.01
<i>Juglans regia</i>	0.01
<i>Rosa moschata</i>	0.01
Mycosphaerellales	0.01

<i>Neocucurbitaria rhamni</i>	0.01
<i>Dictyosporium heptasporum</i>	0.01
<i>Clypeolculus</i> sp.	0.01
<i>Phaeosphaeria</i> sp.2	0.01
<i>Preussia australis</i>	0.01
<i>Microxiphium theae</i>	0.01
<i>Exophiala dermatitidis</i>	0.01
<i>Exophiala lecanii-corni</i>	0.01
<i>Hyalodendriella</i> sp.	0.01
<i>Saccharomyopsis crataegensis</i>	0.01
<i>Acremonium fusidioides</i>	0.01
<i>Trichoderma longibrachiatum</i>	0.01
<i>Corallomycetella repens</i>	0.01
<i>Fusarium penzigii</i>	0.01
<i>Thelonectria</i> sp.	0.01
<i>Bagadiella eucalyptorum</i>	0.01
<i>Mycena</i> sp.	0.01
Uncultured <i>Typhula</i> sp.	0.01
<i>Kondoa aeria</i>	0.01
<i>Cystobasidium laryngis</i>	0.01
<i>Pseudomicrostroma phylloplanum</i>	0.01
<i>Sporobolomyces</i> sp.	0.01
<i>Umbelopsis isabellina</i>	0.01
<i>Petroselinum crispum</i>	0.01
<i>Helianthus annuus</i>	0.01
<i>Solanum lignicaule</i>	0.01
Uncultured Botryosphaeraiales	0.01
<i>Gloniopsis subrugosa</i>	0.01
<i>Cercosporidium californicum</i>	0.01
<i>Libertasomyces myopori</i>	0.01
<i>Angustimassarina</i> sp.	0.01
<i>Paraconiothyrium</i> sp.	0.01
<i>Pleurophoma</i> sp.	0.01
<i>Byssosphaeria siamensis</i>	0.01
<i>Parapyrenochaeta acaciae</i>	0.01
<i>Periconia elaeidis</i>	0.01
<i>Periconia neobrittanica</i>	0.01
<i>Periconia</i> sp.	0.01
Venturiaceae	0.01
<i>Exophiala xenobiotica</i>	0.01
<i>Knufia karalitana</i>	0.01
<i>Golovinomyces cichoracearum</i>	0.01

<i>Oedocephalum</i> sp.	0.01
<i>[Candida] blankii</i>	0.01
<i>Kazachstania servazzii</i>	0.01
Uncultured <i>Hanseniaspora</i> sp.	0.01
<i>Pseudodactylaria xanthorrhoeae</i>	0.01
<i>Diaporthe foeniculina</i>	0.01
<i>Calcarisporium</i> sp.	0.01
<i>Fusariella hughesii</i>	0.01
<i>Cylindrodendrum hubeiense</i>	0.01
<i>Scopulariopsis brumptii</i>	0.01
<i>Phialemonium atrogriseum</i>	0.01
<i>Nigrospora osmanthi</i>	0.01
<i>Lepista panaeola</i>	0.01
<i>Agaricus vaporarius</i>	0.01
<i>Entoloma</i> sp.	0.01
<i>Mycena maculata</i>	0.01
<i>Mycena metata</i>	0.01
<i>Hyphodontia rimosissima</i>	0.01
<i>Phlebia livida</i>	0.01
<i>Cystobasidium</i> sp.	0.01
<i>Tilletia viennotii</i>	0.01
<i>Wallemia ichthyophaga</i>	0.01
<i>Neochlorosarcina negevensis</i>	0.0
<i>Tetradesmus wisconsinensis</i>	0.01
<i>Capsella bursa-pastoris</i>	0.01
<i>Cerastium fontanum</i>	0.01
<i>Cucumis melo</i>	0.01
<i>Cenchrus purpurascens</i>	0.01
Miscellaneous unidentified	0.57
Total	100.00

Bag 35 Melbourne Metropolitan

Bag 35. Species. ITS2	% Hits
<i>Trichophyton rubrum</i>	30.96
<i>Trichophyton mentagrophytes</i>	22.01
<i>Cladosporium</i> sp.	9.05
<i>Candida albicans</i>	7.01
<i>Epicoccum nigrum</i>	6.95
<i>Pseudopithomyces palmicola</i>	2.19
<i>Candida parapsilosis</i>	1.90
<i>Neoscytalidium</i> sp.	1.76

<i>Aspergillus tabacinus</i>	1.56
<i>Fusarium oxysporum</i>	1.45
<i>Alternaria longipes</i>	1.42
Uncultured fungus	1.08
<i>Rhodotorula mucilaginosa</i>	0.96
<i>Aspergillus</i> sp.	0.84
<i>Scopulariopsis brevicaulis</i>	0.76
<i>Trichosporon ovoides</i>	0.71
Saccotheciaceae	0.50
<i>Purpureocillium lilacinum</i>	0.41
<i>Aspergillus fumigatus</i>	0.36
<i>Penicillium chrysogenum</i>	0.34
<i>Pisum sativum</i>	0.28
<i>Filobasidium magnum</i>	0.27
<i>Debaryomyces</i> sp.	0.25
<i>Scopulariopsis</i> sp.	0.23
<i>Fusarium equiseti</i>	0.22
<i>Vishniacozyma tephrensis</i>	0.21
<i>Fusarium solani</i>	0.17
<i>Alternaria infectoria</i>	0.15
<i>Cutaneotrichosporon</i> sp.	0.15
<i>Ascochyta</i> sp.	0.14
<i>Nigrospora sphaerica</i>	0.13
<i>Curvularia coatesiae</i>	0.12
<i>Epidermophyton floccosum</i>	0.12
<i>Bipolaris cynodontis</i>	0.12
<i>Diaporthe foeniculina</i>	0.12
<i>Cutaneotrichosporon debeurmannianum</i>	0.11
<i>Neocucurbitaria unguis-hominis</i>	0.10
Fungi	0.10
<i>Penicillium</i> sp.	0.10
<i>Cystobasidium slooffiae</i>	0.09
<i>Ustilaginoidea virens</i>	0.09
<i>Verrucaria muralis</i>	0.09
<i>Saccharomyces cerevisiae</i>	0.09
<i>Phaeosphaeria</i> sp.	0.09
<i>Uncultured Coniosporium</i> sp.	0.08
<i>Rhodotorula glutinis</i>	0.08
<i>Ramularia</i> sp.	0.08
Other	0.08
<i>Filobasidium uniguttulatum</i>	0.08
<i>Botryosphaeria</i> sp.	0.08

Uncultured Trebouxiophyceae	0.07
Uncultured Ascomycota	0.07
<i>Botrytis cinerea</i>	0.06
Uncultured eukaryote	0.06
<i>Neoascochyta paspali</i>	0.06
<i>Filobasidium wieringae</i>	0.06
<i>Coprinellus micaceus</i>	0.06
<i>Rhodotorula dairenensis</i>	0.06
<i>Nectaromyces rattus</i>	0.06
<i>Phlebiopsis</i> sp.	0.06
Pleosporales	0.06
<i>Paecilomyces maximus</i>	0.05
<i>Plantago lanceolata</i>	0.05
<i>Penicillium griseoroseum</i>	0.05
<i>Aureobasidium</i> sp.	0.04
<i>Dimorphiseta obtusa</i>	0.04
<i>Pyrenophora erythrospila</i>	0.04
<i>Aspergillus niger</i>	0.04
<i>Papiliotrema frias</i>	0.04
<i>Rhodotorula</i> sp.	0.04
<i>Occultifur</i> sp.	0.03
<i>Eucalyptus yarraensis</i>	0.03
<i>Bipolaris</i> sp.	0.03
<i>Microxiphium theae</i>	0.03
<i>Microdochium bolleyi</i>	0.03
<i>Alternaria porri</i>	0.03
<i>Naganishia</i> sp.	0.03
<i>Aspergillus flocculosus</i>	0.03
Uncultured <i>Peyronellaea</i> sp.	0.03
<i>Aspergillus spinulosporus</i>	0.03
<i>Cystofilobasidium</i> sp.	0.03
<i>Wallemia muriae</i>	0.03
<i>Pseudotaeniolina globosa</i>	0.03
<i>Chalara</i> sp.	0.03
<i>34artalini</i> asp.	0.03
<i>Phaeothecoidea minutispora</i>	0.03
<i>Periconia</i> sp.	0.03
<i>Xepicula leucotricha</i>	0.03
<i>Holtermanniella takashimae</i>	0.02
<i>Phaeosphaeriopsis</i> sp.	0.02
<i>Pyrenochaetopsis leptospora</i>	0.02
<i>Exophiala oligosperma</i>	0.02

<i>Trifolium</i> (environmental)	0.02
<i>Dothideales</i>	0.02
<i>Curvularia spicifera</i>	0.02
<i>Penicillium fagi</i>	0.02
<i>Hyphopichia burtonii</i>	0.02
<i>Pseudocamarosporium eucalypti</i>	0.02
<i>Tausonia pullulans</i>	0.02
<i>Phoma</i> sp.	0.02
<i>Polyporales</i>	0.02
<i>Toxicocladosporium irritans</i>	0.02
<i>Aspergillus penicillioides</i>	0.02
<i>Basidiomycota</i>	0.02
<i>Trimmastroma cordae</i>	0.02
<i>Neodevriesia</i> sp.	0.02
<i>Coniothyrium hakeae</i>	0.02
<i>Pyrenophora dictyoides</i>	0.02
<i>Trichoderma afroharzianum</i>	0.02
<i>Podospora glutinans</i>	0.02
<i>Bagadiella eucalyptorum</i>	0.02
<i>Peniophora</i> sp.	0.02
<i>Malassezia sympodialis</i>	0.02
<i>Sporobolomyces lactosus</i>	0.02
<i>Helianthus annuus</i>	0.02
<i>Dothidea eucalypti</i>	0.01
<i>Phaeosphaeria</i> sp.2	0.01
<i>Stemphylium vesicarium</i>	0.01
<i>Preussia australis</i>	0.01
<i>Pilidium acerinum</i>	0.01
<i>[Candida] zeylanoides</i>	0.01
<i>Cytospora</i> sp.	0.01
<i>Discosia pini</i>	0.01
<i>Rhodosporidiobolus colostri</i>	0.01
<i>Zalaria obscura</i>	0.01
<i>Dictyosporium heptasporum</i>	0.01
<i>[Exophiala] eucalyptorum</i>	0.01
<i>Uncultured Caloplaca</i> sp.	0.01
<i>Acremonium citrinum</i>	0.01
<i>Acremonium</i> sp.	0.01
<i>Trichoderma</i> sp.	0.01
<i>Microascus paisii</i>	0.01
<i>Parasola conopilea</i>	0.01
<i>Trametes</i> sp.	0.01

<i>Quambalaria pusilla</i>	0.01
<i>Fonsecazyma</i> sp.	0.01
<i>Vishniacozyma heimaeyensis</i>	0.01
<i>Solanum lycopersicum</i>	0.01
<i>Periconia neobrittanica</i>	0.01
<i>Exserohilum rostratum</i>	0.01
<i>Penicillium brevicompactum</i>	0.01
<i>Pilidium lythri</i>	0.01
<i>Nigrospora osmanthi</i>	0.01
Uncultured Basidiomycota	0.01
<i>Phlebia livida</i>	0.01
<i>Phlebioporia</i> sp.	0.01
<i>Ligustrum lucidum</i>	0.01
<i>Neocucurbitaria keratinophila</i>	0.01
<i>Neophaeococomyces aloes</i>	0.01
<i>Aspergillus parasiticus</i>	0.01
<i>Penicillium oxalicum</i>	0.01
Uncultured Acarosporales	0.01
<i>Phaciella</i> sp.	0.01
[<i>Candida</i>] <i>cabralensis</i>	0.01
<i>Dinemasporium americana</i>	0.01
<i>Gliomastix murorum</i>	0.01
<i>Fusarium reticulatum</i>	0.01
<i>Parasarocladium tasmaniæ</i>	0.01
<i>Myrothecium</i> sp.	0.01
<i>Microdochium neoqueenslandicum</i>	0.01
<i>Dichostereum rhodosporum</i>	0.01
<i>Buckleyzyma armeniaca</i>	0.01
<i>Epistylis</i> sp.	0.01
<i>Taraxacum mongolicum</i>	0.01
Ascomycota	0.01
<i>Dothiora oleae</i>	0.01
<i>Pseudosydowia eucalypti</i>	0.01
<i>Dematiopleospora fusiformis</i>	0.01
<i>Neostagonospora</i> sp.	0.01
<i>Torula masonii</i>	0.01
<i>Cyphelophora laciniata</i>	0.01
<i>Lithohyppha aloicola</i>	0.01
Uncultured <i>Hanseniaspora</i> sp.	0.01
<i>Nectria balansae</i>	0.01
<i>Schizophyllum commune</i>	0.01
<i>Bjerkandera adusta</i>	0.01

<i>Symmetrospora coprosmae</i>	0.01
<i>Symmetrospora</i> sp.	0.01
<i>Leucosporidium scottii</i>	0.01
<i>Cutaneotrichosporon smithiae</i>	0.01
<i>Echium wildpretii</i>	0.01
<i>Phaseolus vulgaris</i>	0.01
<i>Papaver somniferum</i>	0.01
<i>Peltaster</i> sp.	0.01
<i>Dothiorella</i> sp.	0.01
Uncultured Capnodiales	0.01
<i>Myrtapenidiella pleurocarpae</i>	0.01
<i>Recurvomyces</i> sp.	0.01
<i>Pithomyces cynodontis</i>	0.0
<i>Phaeosphaeria</i> cf.	0.01
<i>Alternaria</i> sp.	0.01
<i>Preussia</i> sp.	0.01
<i>Exophiala dermatitidis</i>	0.01
<i>Byssochlamys spectabilis</i>	0.01
<i>Talaromyces</i> sp.	0.01
<i>Verrucaria nigrescens</i>	0.01
<i>Bacidia</i> sp.	0.01
<i>Caloplaca duplicata</i>	0.01
<i>Erysiphe aquilegiae</i>	0.01
<i>Thelebolus microsporus</i>	0.01
[<i>Candida</i>] <i>glabrata</i>	0.01
<i>Coniochaeta</i> sp.	0.01
<i>Acremonium fusidioides</i>	0.01
<i>Acremonium persicinum</i>	0.01
<i>Corallomycetella repens</i>	0.01
<i>Striaticonidium cinctum</i>	0.01
<i>Agaricus vaporarius</i>	0.01
<i>Pleurotus pulmonarius</i>	0.01
<i>Hyphoderma subsetigerum</i>	0.01
<i>Phanerochaete bambusicola</i>	0.01
<i>Trametes hirsuta</i>	0.01
<i>Xylobolus illudens</i>	0.01
<i>Symmetrospora foliicola</i>	0.01
<i>Saitozyma</i> sp.	0.01
<i>Coelastrella</i> sp.	0.01
<i>Trebouxia</i> aff.	0.01
<i>Trebouxia</i> sp.	0.01
<i>Desmochloris mollenhaueri</i>	0.01

<i>Linum villarianum</i>	0.01
Fungal endophyte	0.01
<i>Bourletiella hortensis</i>	0.01
<i>Diplodia</i> sp.	0.01
<i>Mycosphaerellales</i> sp.	0.01
<i>Libertasomyces myopori</i>	0.01
<i>Didymocystis</i> sp.	0.01
<i>Curvularia canadiensis</i>	0.01
<i>Torula herbarum</i>	0.01
Chaetothyriales	0.01
<i>Bradymyces alpinus</i>	0.01
<i>Aspergillus conicus</i>	0.01
<i>Aspergillus pseudoglaucus</i>	0.01
<i>Celerioriella prunicola</i>	0.01
<i>Neophaeomoniella eucalypti</i>	0.01
<i>Verrucaria ahtii</i>	0.01
<i>Verrucaria</i> sp.	0.01
<i>Leuconeurospora</i> sp.	0.01
<i>Pseudaegeira</i> sp.	0.01
<i>Nothojafnea</i> sp.	0.01
<i>Candida dubliniensis</i>	0.01
<i>Pichia kudriavzevii</i>	0.01
Uncultured Hypocreales	0.01
<i>Fusariella hughesii</i>	0.01
<i>Zygosporium pseudogibbum</i>	0.01
cf. <i>Agaricomycetes</i>	0.01
<i>Agaricus collegarum</i>	0.01
<i>Podaxis pistillaris</i>	0.01
<i>Adustochaete interrupta</i>	0.01
<i>Xylodon serpentiformis</i>	0.01
<i>Meruliopsis</i> sp.	0.01
<i>Riopa pudens</i>	0.01
<i>Sakaguchia</i> sp.	0.01
<i>Exobasidium japonicum</i>	0.01
<i>Phragmotaenium derxii</i>	0.01
<i>Pseudomicrostoma phylloplanum</i>	0.01
Uncultured <i>Trebouxia</i> sp.	0.01
<i>Hypochaeris radicata</i>	0.01
<i>Lotus angustissimus</i>	0.01
<i>Trifolium subterraneum</i>	0.01
<i>Juglans regia</i>	0.01
<i>Plantago coronopus</i>	0.01

<i>Modiola caroliniana</i>	0.01
Miscellaneous unidentified	0.44
Total	100.00

Bag 38 Shepparton

Bag 38. Species. ITS2	% Hits
<i>Trichophyton mentagrophytes</i>	21.50
<i>Ustilaginoidea virens</i>	18.93
<i>Trichophyton rubrum</i>	7.08
<i>Candida parapsilosis</i>	6.62
<i>Aspergillus fumigatus</i>	6.44
<i>Cladosporium</i> sp.	4.45
<i>Cutaneotrichosporon</i> sp.	3.88
Uncultured fungus	3.36
<i>Aspergillus</i> sp.	2.91
<i>Rhodotorula mucilaginosa</i>	2.25
<i>Epicoccum nigrum</i>	1.68
<i>Aspergillus tabacinus</i>	1.53
<i>Fusarium oxysporum</i>	1.21
<i>Alternaria longipes</i>	1.14
<i>Pseudochlorella pyrenoidosa</i>	1.11
<i>Scopulariopsis brevicaulis</i>	0.92
<i>Penicillium chrysogenum</i>	0.77
<i>Pisum sativum</i>	0.75
<i>Filobasidium magnum</i>	0.71
<i>Rhodotorula</i> sp.	0.60
<i>Vishniacozyma tephrensis</i>	0.57
<i>Trebouxia</i> sp.	0.56
<i>Penicillium oxalicum</i>	0.51
<i>Aspergillus spinulosporus</i>	0.41
<i>Thelebolus microsporus</i>	0.38
<i>Cystofilobasidium</i> sp.	0.37
<i>Scopulariopsis</i> sp.	0.35
<i>Phlebiopsis</i> sp.	0.34
<i>Exophiala</i> sp.	0.33
<i>Penicillium</i> sp.	0.32
Saccotheciaceae	0.31
Uncultured <i>Trebouxia</i> sp.	0.28
<i>Sampaiozyma</i> sp.	0.25
<i>Holtermanniella takashimae</i>	0.23
<i>Rhodotorula glutinis</i>	0.22

Pleosporales	0.18
<i>Curvularia spicifera</i>	0.17
<i>Coniochaeta</i> sp.	0.17
<i>Cystobasidium slooffiae</i>	0.16
<i>Pseudopithomyces palmicola</i>	0.16
<i>Gloniopsis calami</i>	0.15
<i>Trichosporon ovoides</i>	0.15
<i>Cutaneotrichosporon debeurmannianum</i>	0.14
Uncultured Ascomycota	0.13
<i>Cystobasidium</i> sp.	0.13
<i>Gloeocystis</i> sp.	0.12
<i>Deuterostichococcus allas</i>	0.12
<i>Symmetrospora marina</i>	0.12
<i>Ascochyta</i> sp.	0.11
<i>Penicillium griseoroseum</i>	0.10
<i>Epidermophyton floccosum</i>	0.10
<i>Udeniomyces</i> sp.	0.10
<i>Purpureocillium lilacinum</i>	0.10
Fungi	0.09
<i>Alternaria porri</i>	0.09
<i>Saccharomyces cerevisiae</i>	0.09
<i>Filobasidium uniguttulatum</i>	0.09
<i>Phaeosphaeria</i> cf.	0.08
<i>Alternaria infectoria</i>	0.08
<i>Lecanora subsalina</i>	0.08
<i>Aspergillus pseudoglaucus</i>	0.08
Microbotryomycetes	0.08
<i>Vishniacozyma heimaeyensis</i>	0.07
<i>Verrucaria muralis</i>	0.07
<i>Botrytis cinerea</i>	0.06
<i>Quambalaria pusilla</i>	0.06
<i>Rachicladosporium</i> sp.	0.06
<i>Keissleriella cladophila</i>	0.06
<i>Debaryomyces</i> sp.	0.06
<i>Coprinopsis</i> sp.	0.06
<i>Tausonia pullulans</i>	0.06
<i>Phoma</i> sp.	0.06
<i>Paracamarosporium</i> sp.	0.06
<i>Bipolaris cynodontis</i>	0.06
<i>Lecanora</i> sp.	0.06
<i>Neocucurbitaria unguis-hominis</i>	0.05
<i>Phaeosphaeria</i> sp.2	0.05

<i>Phaeosphaeriopsis</i> sp.	0.05
<i>Curvularia coatesiae</i>	0.05
<i>Occultifur</i> sp.	0.05
<i>Fraxinus angustifolia</i>	0.05
<i>Phaeosphaeria</i> sp.	0.05
<i>Leucosporidium scottii</i>	0.05
<i>Farysia setubalensis</i>	0.05
<i>Pilaira anomala</i>	0.05
<i>Verrucaria ceuthocarpa</i>	0.04
<i>Aspergillus niger</i>	0.04
<i>Papiliotrema frias</i>	0.04
<i>Wallemia muriae</i>	0.04
<i>Diaporthe foeniculina</i>	0.04
Uncultured Basidiomycota	0.04
Other	0.04
<i>Rhytidhysteron rufulum</i>	0.04
[<i>Candida</i>] <i>zeylanoides</i>	0.04
<i>Fusarium equiseti</i>	0.04
Tremellomycetes	0.04
<i>Medicago polymorpha</i>	0.03
Uncultured <i>Coniosporium</i> sp.	0.03
<i>Chalara</i> sp.	0.03
<i>Sporobolomyces roseus</i>	0.03
<i>Cryptococcus</i> sp.	0.03
<i>Bartalinia</i> sp.	0.03
<i>Penicillium brevicompactum</i>	0.03
<i>Candida albicans</i>	0.03
<i>Symmetrospora coprosmae</i>	0.03
Uncultured Pezizomycotina	0.02
<i>Botryosphaeria</i> sp.	0.02
<i>Filobasidium wieringae</i>	0.02
<i>Teichospora pusilla</i>	0.02
<i>Wallemia</i> sp.	0.02
<i>Solanum lycopersicum</i>	0.02
<i>Lasiodiplodia theobromae</i>	0.02
<i>Alternaria</i> sp.	0.02
<i>Neophaeococomyces aloes</i>	0.02
[<i>Acremonium</i>] <i>psammosporum</i>	0.02
<i>Nigrospora osmanthi</i>	0.02
<i>Protomyces inouyei</i>	0.02
<i>Symmetrospora foliicola</i>	0.02
<i>Malassezia sympodialis</i>	0.02

<i>Yunzhangia sonckii</i>	0.02
<i>Ramularia</i> sp.	0.02
<i>Neodevriesia</i> sp.	0.02
<i>Didymocyrtis</i> sp.	0.02
<i>Bjerkandera adusta</i>	0.02
<i>Pseudostichococcus monallantoides</i>	0.02
<i>Pseudochlorella signiensis</i>	0.02
<i>Fernandinella</i> sp.	0.02
Uncultured <i>Peyronellaea</i> sp.	0.02
<i>Lodderomyces elongisporus</i>	0.02
<i>Fusarium reticulatum</i>	0.02
<i>Microdochium</i> sp.	0.02
<i>Cystobasidium laryngis</i>	0.02
<i>Sporobolomyces lactosus</i>	0.02
<i>Pseudotaeniolina globosa</i>	0.01
<i>Toxicocladosporium irritans</i>	0.01
<i>Neocucurbitaria keratinophila</i>	0.01
<i>Parapyrenochaeta acaciae</i>	0.01
<i>Stemphylium vesicarium</i>	0.01
<i>Acremonium</i> sp.	0.01
<i>Cystofilobasidium capitatum</i>	0.01
<i>Tremella</i> sp.	0.01
<i>Digitaria exilis</i>	0.01
<i>Ascomycota</i> sp.	0.01
<i>Sigarispora</i> sp.	0.01
<i>Periconia neobrittanica</i>	0.01
<i>Phialophora intermedia</i>	0.01
<i>Fimetariella rabenhorstii</i>	0.01
<i>Coprinellus micaceus</i>	0.01
<i>Phlebia acanthocystis</i>	0.01
<i>Septoriella</i> sp.	0.01
<i>Setophaeosphaeria</i> sp.	0.01
<i>Roussoella euonymi</i>	0.01
<i>Calcarisporium</i> sp.	0.01
<i>Kondoa aeria</i>	0.01
<i>Exobasidiomycetidae</i> sp.	0.01
<i>Platygloea disciformis</i>	0.01
Uncultured <i>Trebouxiphycaceae</i>	0.01
<i>Linnemannia gamsii</i>	0.01
<i>Erodium cicutarium</i>	0.01
<i>Dothiorella</i> sp.	0.01
<i>Pleosporineae</i> sp.	0.01

<i>Exserohilum rostratum</i>	0.01
<i>Exophiala dermatitidis</i>	0.01
<i>Exophiala psychrophila</i>	0.01
<i>Phaeoannellomyces elegans</i>	0.01
<i>Verrucaria ahtii</i>	0.01
<i>Vexillomyces palatinus</i>	0.01
<i>Fusarium solani</i>	0.01
<i>Microdochium bolleyi</i>	0.01
<i>Symmetrospora</i> sp.	0.01
Fungal endophyte	0.01
<i>Pseudoseptoria</i> sp.	0.01
<i>Pithomyces cynodontis</i>	0.01
<i>Neostagonospora</i> sp.	0.01
<i>Pyrenophora chaetomioides</i>	0.01
<i>Preussia</i> sp.	0.01
Chaetothyriales	0.01
<i>Cyphelophora europaea</i>	0.01
Lecanoromycetes	0.01
Uncultured <i>Caloplaca</i> sp.	0.01
Helotiales	0.01
<i>Hypopichia</i> sp.	0.01
<i>Nigrospora sphaerica</i>	0.01
<i>Coprinellus</i> sp.	0.01
<i>Fuscoporia</i> sp.	0.01
<i>Peniophora</i> sp.	0.01
<i>Rhodotorula dairenensis</i>	0.01
Uncultured eukaryote	0.01
<i>Coniosporium uncinatum</i>	0.01
Uncultured <i>Cladosporium</i> sp.	0.01
<i>Aureobasidium</i> sp.	0.01
<i>Pseudosydowia eucalypti</i>	0.01
<i>Cercospora</i> sp.	0.01
<i>Coniothyrium hakeae</i>	0.01
<i>Pyrenopeziza</i> sp.	0.01
<i>Phoma sojicola</i>	0.01
<i>Lophiostoma cynaroidis</i>	0.01
<i>Clypeoloculus</i> sp.	0.01
<i>Periconia elaeidis</i>	0.01
<i>Periconia macrospinosa</i>	0.01
<i>Paraphoma chrysanthemicola</i>	0.01
<i>Curvularia lunata</i>	0.01
<i>Cyphelophora laciniata</i>	0.01

<i>Cladophialophora boppii</i>	0.01
<i>Exophiala castellanii</i>	0.01
<i>Knufia epidermidis</i>	0.01
<i>Aspergillus hiratsukae</i>	0.01
<i>Penicillium fagi</i>	0.01
<i>Cadophora luteo-olivacea</i>	0.01
<i>Hypodiscus hymenophilus</i>	0.01
<i>Pichia membranifaciens</i>	0.01
<i>[Candida] glabrata</i>	0.01
<i>Dinemasporium americana</i>	0.01
<i>Colletotrichum boninense</i>	0.01
<i>Trichoderma</i> sp.	0.01
<i>Stachybotrys chartarum</i>	0.01
<i>Basidiomycota</i> sp.	0.01
<i>Agaricus</i> sp.	0.01
<i>Trametes</i> sp.	0.01
<i>Kondoa phyllada</i>	0.01
<i>Naganishia</i> sp.	0.01
<i>Saitozyma</i> sp.	0.01
<i>Diplosphaera</i> sp.	0.01
<i>Mortierella indohii</i>	0.01
<i>Phaseolus vulgaris</i>	0.01
<i>Malva pusilla</i>	0.01
<i>Solanum vernei</i>	0.01
Miscellaneous unidentified	0.26
Total	100.00

Bag 40 Shepparton

Bag 40. Species. ITS2	% Hits
<i>Trichophyton mentagrophytes</i>	32.42
<i>Trichophyton rubrum</i>	29.43
<i>Acremonium citrinum</i>	9.16
<i>Aspergillus tabacinus</i>	6.11
<i>Candida albicans</i>	3.04
<i>Cladosporium</i> sp.	2.08
<i>Scopulariopsis brevicaulis</i>	1.32
<i>Fusarium oxysporum</i>	1.30
<i>Epicoccum nigrum</i>	1.29
<i>Rhodotorula mucilaginosa</i>	0.96
Uncultured fungus	0.91
<i>Aspergillus</i> sp.	0.85

<i>Arthrographis kalrae</i>	0.82
<i>Penicillium chrysogenum</i>	0.59
<i>Microascus verrucosus</i>	0.52
<i>Filobasidium magnum</i>	0.50
<i>Scopulariopsis</i> sp.	0.50
<i>Acremonium chrysogenum</i>	0.48
<i>Aspergillus spinulosporus</i>	0.46
<i>Alternaria longipes</i>	0.43
<i>Pseudopithomyces palmicola</i>	0.38
<i>Ramularia</i> sp.	0.36
<i>Saccotheciaeae</i>	0.30
<i>Rhodotorula glutinis</i>	0.26
<i>Candida parapsilosis</i>	0.24
<i>Vishniacozyma tephrensis</i>	0.22
<i>Phlebiopsis</i> sp.	0.22
<i>Penicillium griseoroseum</i>	0.20
<i>Apiotrichum montevideense</i>	0.19
<i>Neocucurbitaria unguis-hominis</i>	0.18
<i>Cystofilobasidium</i> sp.	0.17
<i>Holtermanniella takashimae</i>	0.11
<i>Saccharomyces cerevisiae</i>	0.11
Other	0.11
<i>Hypocreales</i>	0.10
<i>Alternaria infectoria</i>	0.09
<i>Ustilaginoidea virens</i>	0.09
Uncultured Ascomycota	0.09
Uncultured Acarosporales	0.09
<i>Ascochyta</i> sp.	0.08
<i>Occultifur</i> sp.	0.08
<i>Aspergillus niger</i>	0.07
<i>Chlamydosporiella restricta</i>	0.07
<i>Purpureocillium lilacinum</i>	0.07
<i>Phaeosphaeria</i> cf.	0.06
Uncultured Trebouxiophyceae	0.06
<i>Filobasidium uniguttulatum</i>	0.06
Uncultured <i>Coniosporium</i> sp.	0.06
<i>Cystobasidium slooffiae</i>	0.06
<i>Filobasidium wieringae</i>	0.06
<i>Planophilta laetevirens</i>	0.06
<i>Papiliotrema frias</i>	0.05
<i>Epidermophyton floccosum</i>	0.05
<i>Arachnomyces kanei</i>	0.05

<i>Bartalinia</i> sp.	0.05
Fungi	0.04
<i>Alternaria porri</i>	0.04
<i>Udeniomyces</i> sp.	0.04
<i>Debaryomyces</i> sp.	0.04
<i>Bryum argenteum</i>	0.04
<i>Helianthus annuus</i>	0.04
<i>Fernandinella</i> sp.	0.03
<i>Symmetrospora foliicola</i>	0.03
<i>Curvularia spicifera</i>	0.03
<i>Aspergillus pseudoglaucus</i>	0.03
<i>Acremonium</i> sp.	0.03
<i>Aureobasidium</i> sp.	0.03
<i>Fusarium equiseti</i>	0.03
<i>Chaetomium globosum</i>	0.03
<i>Cutaneotrichosporon debeurmannianum</i>	0.03
<i>Wallemia muriae</i>	0.03
Pleosporales	0.03
<i>Rhodosporidiobolus colostri</i>	0.03
<i>Trichosporon ovoides</i>	0.03
<i>Fraxinus angustifolia</i>	0.03
<i>Cyberlindnera jadinii</i>	0.02
<i>Tausonia pullulans</i>	0.02
<i>Neocucurbitaria keratinophila</i>	0.02
<i>Alternaria</i> sp.	0.02
<i>Calcarisporium</i> sp.	0.02
<i>Neochlorosarcina negevensis</i>	0.02
<i>Penicillium brevicompactum</i>	0.02
<i>Botrytis cinerea</i>	0.02
<i>[Candida] zeylanoides</i>	0.02
<i>Sporobolomyces roseus</i>	0.02
<i>[Exophiala] eu calyptorum</i>	0.02
<i>Leucosporidium scottii</i>	0.02
<i>Sporobolomyces lactosus</i>	0.02
<i>Trebouxia</i> aff.	0.02
<i>Trebouxia</i> sp.	0.02
<i>Penicillium</i> sp.	0.02
<i>Verrucaria muralis</i>	0.02
<i>Trechispora cohaerens</i>	0.02
<i>Botryosphaeria</i> sp.	0.02
Uncultured <i>Peyronellaea</i> sp.	0.02
<i>Phoma</i> sp.	0.02

<i>Phaeosphaeria</i> sp.	0.02
<i>Phaeosphaeriopsis</i> sp.	0.02
<i>Cystofilobasidium capitatum</i>	0.02
<i>Naganishia</i> sp.	0.02
<i>Gemmabryum dichotomum</i>	0.02
<i>Urtica urens</i>	0.02
Uncultured eukaryote	0.01
<i>Stemphylium vesicarium</i>	0.01
<i>Kazachstania exigua</i>	0.01
<i>Tupiella speciosa</i>	0.01
<i>Myrmecridium</i> sp.	0.01
Uncultured Hymenochaetales	0.01
<i>Sampaiozyma</i> sp.	0.01
<i>Rhodotorula</i> sp.	0.01
<i>Pseudochlorella signiensis</i>	0.01
<i>Rhizophlyctis rosea</i>	0.01
<i>Bipolaris cynodontis</i>	0.01
<i>Ochroconis musae</i>	0.01
<i>Malassezia sympodialis</i>	0.01
<i>Vishniacozyma heimaeyensis</i>	0.01
<i>Cucurbita</i> (environmental)	0.01
<i>Lupinus angustifolius</i>	0.01
<i>Bipolaris</i> sp.	0.01
<i>Pseudocamarosporium eucalypti</i>	0.01
<i>Knufia perfecta</i>	0.01
<i>Aspergillus penicilliodes</i>	0.01
<i>Talaromyces ruber</i>	0.01
<i>Scedosporium apiospermum</i>	0.01
<i>Symmetrospora marina</i>	0.01
<i>Cystobasidium laryngis</i>	0.01
<i>Hannaella</i> sp.	0.01
<i>Cryptococcus</i> sp.	0.01
<i>Wallemia</i> sp.	0.01
<i>Scenedesmus</i> sp.	0.01
<i>Tetraedesmus wisconsinensis</i>	0.01
<i>Pseudostichococcus monallantoides</i>	0.01
<i>Myrtapenidiella pleurocarpae</i>	0.01
<i>Exophiala</i> sp.	0.01
<i>Colletotrichum boninense</i>	0.01
<i>Fusarium reticulatum</i>	0.01
<i>Myrothecium</i> sp.	0.01
<i>Xepicula leucotricha</i>	0.01

<i>Botryotrichum verrucosum</i>	0.01
<i>Nigrospora osmanthi</i>	0.01
Uncultured Basidiomycota	0.01
<i>Pluteus</i> sp.	0.01
Uncultured <i>Trebouxia</i> sp.	0.01
<i>Mortierella</i> sp.	0.01
<i>Pisum sativum</i>	0.01
Fungal endophyte	0.01
<i>Pseudosydowia eucalypti</i>	0.01
<i>Neoascochyta paspali</i>	0.01
<i>Pleurophoma</i> sp.	0.01
<i>Curvularia coatesiae</i>	0.01
<i>Torula masonii</i>	0.01
<i>Verrucaria ahtii</i>	0.01
<i>Sordaria fimicola</i>	0.01
<i>Hyalotiella transvalensis</i>	0.01
<i>Lepista nuda</i>	0.01
<i>Trametes</i> sp.	0.01
<i>Trechispora confinis</i>	0.01
<i>Cystobasidium pallidum</i>	0.01
<i>Quambalaria eucalypti</i>	0.01
<i>Tremellomycetes</i> sp.	0.01
<i>Deasonia granata</i>	0.01
<i>Chlorella vulgaris</i>	0.01
<i>Desmochloris mollenhaueri</i>	0.01
<i>Zalaria obscura</i>	0.01
Venturiaceae	0.01
Chaetothyriales	0.01
<i>Chalara</i> sp.	0.01
<i>Tricladium terrestre</i>	0.01
[<i>Lecythophora</i>] <i>canina</i>	0.01
<i>Kernia anthracina</i>	0.01
<i>Fimetariella rabenhorstii</i>	0.01
<i>Sistotrema brinkmannii</i>	0.01
<i>Kneiffiella</i> sp.	0.01
Uncultured <i>Cryptococcus</i> sp.	0.01
<i>Dioszegia hungarica</i>	0.01
<i>Cutaneotrichosporon</i> sp.	0.01
<i>Chlorellaceae</i> sp.	0.01
<i>Foeniculum vulgare</i>	0.01
<i>Medicago polymorpha</i>	0.01
<i>Phaseolus vulgaris</i>	0.01

<i>Digitaria exilis</i>	0.01
<i>Solanum lycopersicum</i>	0.01
Miscellaneous unidentified	46.00
Total	100.00